



BUILDING THE BEST SINCE 1886



White





# Flight™







Contemporary in design, Flight is at ease in today's contemporary homes and apartments. The twisted blades are a striking feature, and provide stunning air movement.


- 24230 Brushed Nickel with three Coffee Beech blades
- 24233 White with three White blades



# Flight™



<b>SIZE &amp; BLADES:</b>	132cm (52") Dia. from blade tip to blade tip.				
	Three moulded plastic twist blades.				
	Variable blade pitch . <ul style="list-style-type: none"> <li>Flight has a variable blade pitch due to the striking twist feature.</li> </ul>				
<b>MOTOR:</b>	Hunter's High Output WhisperWind™ motor. 16 pole. 172 x 20mm 100Watt motor with heavy gauge copper windings, silicon steel laminations, and precision sealed bearings, for quiet operation, year after year.				
<b>CONTROLLER:</b>		Supplied with 3 speed wall control. <ul style="list-style-type: none"> <li>Suitable with Hunter remote controls.</li> </ul>			
<b>CANOPY:</b>	Hunter's patented WobbleFree™ canopy with Anti Vibration Technology (AVT) Hunter's patented triangular hanger ball system reduces torque and gives Hunter fans the ability to self-balance, eliminating wobble for rock solid performance, year after year.				
<b>LOCATION:</b>	Indoor use only.				
<b>MOUNTING:</b>	Easy to install in one of 2 mounting positions: <ul style="list-style-type: none"> <li>Standard mounting on flat ceilings.</li> <li>Angled mounting on raked ceilings up to 34-Deg.</li> </ul>				
<b>LIGHT KIT:</b>	Suitable for use with Hunter Flight / Cabo Frio light kit .				
<b>FEATURES:</b>	Reversing switch for both summer and winter operation. <ul style="list-style-type: none"> <li>Save up to 47% on summer cooling costs,</li> <li>Save up to 24% on winter heating costs.</li> </ul>				
<b>PERFORMANCE:</b> <i>NB: Performance testing carried out in laboratory approved for energy star testing and certification</i>	<b>SPEED</b>	<b>WATTAGE*</b>	<b>RPM</b>	<b>AIRFLOW ** (in M<sup>3</sup>/HR)</b>	<b>EFFICIENCY (in M<sup>3</sup>/HR/W)</b>
	HIGH:	66.0	165	9,435	142.9
	MEDIUM:	61.3	138	7,013	136.7
	LOW:	20.0	73	3,830	191.5
* Wattage for Energy Star data and is based on actual not rated value as shown on rating label					
** Airflow data tested using Energy Star Solid State Method (Developed by Hunter Fan Company)					



A	B	C	D	E	F	G
<b>STANDARD MOUNT (cm)</b>						
32.51	27.94	8.26	17.50	15.75	N/A	8.66
<b>ANGLED MOUNT (cm) NB: Using 91cm downrod.</b>						
116.33	111.76	8.26	17.5	15.75	N/A	8.66